

Sanitation and Disease

WORLD BANK STUDIES IN
WATER SUPPLY AND SANITATION 3

Sanitation and Disease
*Health Aspects of Excreta
and Wastewater Management*

Richard G. Feachem, David J. Bradley,
Hemda Garelick and D. Duncan Mara

with contributions from

J. Coghlan, C. F. Curtis, D. M. E. Curtis
W. A. M. Cutting, B. S. Drasar, B. Lloyd
W. W. MacDonald, D. M. Mackay, R. L. Muller, J. S. Slade
B. A. Southgate, D. C. Warhurst and A. J. Zuckerman

Published for the World Bank by
John Wiley & Sons
Chichester New York Brisbane Toronto Singapore

Copyright © 1983 by The International Bank for
Reconstruction and Development / THE WORLD
BANK, 1818 H Street, N.W., Washington, D.C. 20433,
U.S.A.

No part of this publication may be reproduced, stored in a
retrieval system, or transmitted in any form or by any means,
electronic, mechanical, photocopying, recording, or other-
wise, without the written permission of the World Bank.

The views and interpretations in this book are the authors'
and should not be attributed to the World Bank, to its
affiliated organizations, or to any individual acting on their
behalf.

Contents

Tables and Figures xix

Preface xxiii

Scope and Organization

Origins and Related Publications

Contributors

Acknowledgments

Acronyms and Abbreviations xxvii

PART ONE. THE HEALTH HAZARDS OF EXCRETA: THEORY AND CONTROL

1. Elements and Health Risks of Excreta and Wastewater 3

Excreta and Health 3

Characteristics of Excreta and

Sewage 4

Quantities 4

Chemical composition 6

Pathogens in excreta 9

Viruses in excreta 9

Bacteria in excreta 9

Protozoa in excreta 12

Helminths in excreta 12

Magnitude of pathogen
excretion 16

A note on urinary pathogens 16

Characteristics of Sullage 16

Quantities 16

Composition 18

Sullage disposal and health 20

Literature Cited 20

2. Environmental Classification of Excreta- related Infections 23

*Understanding Excreta-
related Infections* 23

Excreted load 24

Latency 24

Persistence 25

Multiplication 25

Infective dose 25

Host response 26

Nonhuman hosts 31

*Categories of Excreta-related
Infections* 32

Category I 37

Category II 37

Category III 38

Category IV 39

Category V 39

Category VI 39

Summary 39

Literature Cited 40

3. The Risks of Excreta to Public Health 43

Illustrative Sketches 43

A Southeast Asian family 43

A North African family 44

Children and Excreta

Disposal 46

Distribution of Sanitation

Benefits 47

*Health Benefits of
Sanitation* 48

Methodological issues 48

The literature	48
<i>Limitations in Assessing Health Benefits</i>	49
Best inferences in an optimal case	49
Best inferences in actuality	50
<i>Literature Cited</i>	50
4. Detection, Survival, and Removal of Pathogens in the Environment	53
<i>Fecal Indicator Bacteria</i>	53
Coliform bacteria	54
Fecal streptococci	54
Fecal coliform to fecal streptococci ratio	55
<i>Clostridium perfringens</i>	55
<i>Pseudomonas aeruginosa</i>	55
<i>Bifidobacterium</i> and other anaerobic bacteria	56
Fecal concentrations, detection, and enumeration of bacterial indicators	56
<i>Relation of Fecal Indicator Bacteria to Excreted Pathogens</i>	56
<i>Pathogen Indicators</i>	57
Pathogen indicators for pond effluents	58
Pathogen indicators for effluents from other sewage treatment processes	58
Pathogen indicators for noneffluents	58
<i>Survival of Indicators and Pathogens</i>	59
In feces, night soil, and sludge	60
In water and sewage	60
In soil	61
On crops	61
<i>Pathogen Survival versus Removal in Waste Treatment</i>	62
<i>Objectives of Night Soil and Sewage Treatment</i>	62
Excreta and night soil treatment	63
Sewage treatment	63
<i>Literature Cited</i>	64
5. Health Aspects of Excreta and Night Soil Systems	67
<i>Pit Latrines</i>	67
Cleanliness	67
Odor	67
Insect breeding	67
Pathogen survival in the pit	68
Groundwater pollution	68
<i>Composting Toilets</i>	68
Technical description	68
Pathogen survival in product	71
<i>Cartage Systems</i>	74
Night soil deposition	75
Night soil collection	77
Night soil transport	77
Night soil treatment	77
Night soil reuse	77
<i>Composting</i>	78
Pathogen survival	78
Fly breeding	80
<i>Literature Cited</i>	80
6. Health Aspects of Sewage Systems	83
<i>Aquaprivies and Septic Tanks</i>	83
Technical description	83
Pathogen survival	83
<i>Conventional Sewage Treatment</i>	86
Pretreatment and primary sedimentation	86
Trickling filters	87
Activated sludge	88
Sludge digestion	88
Sludge dewatering	89
Other sludge treatment processes	89
Complete treatment works	90
<i>Aerated Lagoons</i>	92
Technical description	92
Pathogen survival	93
<i>Oxidation Ditches</i>	93
Technical description	93
Pathogen survival	94
<i>Tertiary Treatment</i>	94
Rapid sand filtration	94
Slow sand filtration	94

Land treatment	94
Maturation lagoons	94
Other tertiary treatment processes	95
Effluent Chlorination	95
Waste Stabilization Ponds	96
Technical description	96
Pathogen survival	96
Literature Cited	96

7. Reuse of Excreta and Discharge of Effluents 99

Reuse in Agriculture	99
Foodstuffs for human consumption	99
Health issues	99
Pathogens reaching the field	100
Pathogen survival	100
Pathogen transmission	100
Foodstuffs for animal consumption	101
Health issues	101
Beef tapeworm infection	101
Salmonellosis	101
Tuberculosis	101
Other agricultural products	102
Occupational hazards	102
Pathogen control in agricultural reuse	103
Reuse in Aquaculture	104
Fish farming	104
Health issues	104
Passive transference of excreted pathogens	104
Helminths having fish as intermediate hosts	105
Helminths with other aquatic intermediate hosts	105
Pathogen control	105
Algal culture	105
Health issues	106
Pathogen control	106
Macrophyte culture	106
Health issues	106
Pathogen control	106

Reuse for Biogas Production	107
Technical description	107
Pathogen control in reuse of biogas plant slurry	107
Discharge of Effluents	109
Into rivers and lakes	109
Health issues	109
Waterborne pathogens	109
Helminths with aquatic intermediate hosts	109
Into the sea	110
Health issues	110
Pathogen survival	110
Seafood contamination	110
Recreational hazards	111
To groundwater	111
Health issues	111
Pathogen travel	112
Pathogen survival	112
Pathogen control	112
Nitrates from effluents	112
Health issues	112
Nitrate control	113
Literature Cited	113

8. The Human Element in Sanitation Systems 117

Relevance of Cultural Values and Attitudes	118
Influence of Social Structure and Organization	119
Social and Behavioral Aspects of Latrine Design	119
Cost	119
Convenience	119
Comfort	120
Group or communal toilets	121
Social and Organizational Aspects of Excreta Cartage Systems	121
Social and Organizational Aspects of Excreta Reuse Systems	123
Improving the Management of Urban Sanitation Systems	124
Effectiveness and Limitations of Self-help Schemes	125

<i>Appropriate Health</i>	
<i>Education</i>	126
<i>Literature Cited</i>	126

PART TWO. ENVIRONMENTAL BIOLOGY AND EPIDEMIOLOGY OF SPECIFIC EXCRETED PATHOGENS

SECTION I. EXCRETED VIRUSES

9. Enteroviruses, Poliomyelitis, and Similar Viral Infections 133

Description of Pathogens and Diseases 133

Identification	133
Occurrence	135
Infectious agents	135
Reservoir	135
Transmission	135
Incubation period	136
Period of communicability	136
Resistance	137
Epidemiology	137

Control Measures 137

Individual	137
Environmental	137

Occurrence and Survival in the Environment 138

In surface waters	139
In ground water	140
In drinking water	140
In seawater	141
In feces and night soil	143
In sewage	144
In sludge	145
In soil	146
On crops	147
In fish and shellfish	148
In the air	150

Inactivation by Sewage

<i>Treatment Processes 151</i>	
By primary and secondary sedimentation	151
By storage	151
By septic tanks	152
By trickling filters	152
By activated sludge	153
By oxidation ditch	154

By waste stabilization ponds	154
By aerated lagoons	155
By tertiary treatment	155
Lagooning	155
Coagulation	155
Filtration	155
Disinfection	156
Land treatment	158
Other processes	160

Inactivation by Night Soil and Sludge Treatment

<i>Processes 160</i>	
By pit latrines	160
By anaerobic digestion	160
By drying	161
By heating	162
By composting	163
By other processes	164

Literature Cited 164

10. Hepatitis A Virus and Infectious Hepatitis 173

Description of Pathogen and Disease 173

Identification	173
Occurrence	173
Infectious agent	174
Reservoirs	174
Transmission	174
Incubation period	174
Period of communicability	174
Resistance	174
Epidemiology	174

Control Measures 175

Occurrence and Survival in the Environment 176

Inactivation by Sewage Treatment Processes 177

Inactivation by Night Soil and Sludge Treatment

<i>Processes 177</i>	
----------------------	--

Literature Cited 178

11. Rotavirus and Viral Gastroenteritis 181

Description of Pathogens and Diseases 181

Identification	181
Occurrence	181
Infectious agents	181

Rotaviruses	182
Adenoviruses	182
Astroviruses	182
Caliciviruses	182
Coronaviruses	182
Enteroviruses	184
Measles virus	184
Noncell agent and other small round viruses	184
Reservoirs	184
Transmission	184
Incubation period	184
Period of communicability	184
Resistance	185
Epidemiology	185
Control Measures	186
Occurrence and Survival in the Environment	187
Inactivation by Sewage Treatment Processes	188
Inactivation by Night Soil and Sludge Treatment Processes	188
Literature Cited	188

SECTION II. EXCRETED BACTERIA

12. *Campylobacter* and *Campylobacter*

Enteritis 193

Description of Pathogen and Disease	193
Identification	193
Occurrence	193
Infectious agent	193
Reservoirs	195
Transmission	195
Incubation period	196
Period of communicability	196
Resistance	196
Epidemiology	196
Control Measures	197
Occurrence and Survival in the Environment	197
Inactivation by Sewage Treatment Processes	197
Inactivation by Night Soil and Sludge Treatment Processes	197
Literature Cited	197

13. Pathogenic and Nonpathogenic *Escherichia coli* and Other Bacterial Indicators of Fecal Pollution 199

Description of Pathogen and Disease	199
Identification	199
Occurrence	199
Infectious agents	199
Enterotoxigenic <i>E. coli</i> (ETEC)	200
Enteroinvasive <i>E. coli</i> (EIEC)	200
Enteropathogenic <i>E. coli</i> (EPEC)	200
Reservoirs	201
Transmission	201
Incubation period	201
Period of communicability	201
Resistance	201
Epidemiology	201
Control Measures	205
Individual	205
Environmental	205
Fecal Indicator Bacteria	
Occurrence and Survival in the Environment	206
In surface waters	206
In groundwater	209
In drinking water	210
In seawater	212
In feces and night soil	213
In sewage	214
In sludge	215
In soil	215
On crops	216
In fish and shellfish	217
In the air	218
Inactivation by Sewage Treatment Processes	221
By primary and secondary sedimentation	221
By storage	222
By septic tanks	222
By trickling filters	223
By activated sludge	224
By oxidation ditch	224
By waste stabilization ponds	224

- Mechanisms of E. coli removal in ponds* 224
Kinetics of E. coli removal in ponds 225
 By aerated lagoons 226
 By tertiary treatment 228
 Lagooning 228
 Coagulation 228
 Filtration 228
 Disinfection 229
 Land treatment 230
 Other processes 231
Inactivation by Night Soil and Sludge Treatment Processes 231
 By pit latrines 231
 By anaerobic digestion 231
 By heating 232
 By composting 232
 By lime treatment 233
 By other processes 233
Literature Cited 233
- 14. *Leptospira* and *Leptospirosis*** 243
 Description of Pathogen and Disease 243
 Identification 243
 Occurrence 243
 Infectious agent 243
 Reservoirs 244
 Transmission 244
 Incubation period 244
 Period of
 communicability 245
 Resistance 245
 Epidemiology 245
 Control Measures 246
 Individual 246
 Environmental 247
 Occurrence and Survival in the Environment 247
 In water and sewage 247
 In urine 247
 In feces and night soil 248
 In soil 248
 Inactivation by Sewage Treatment Processes 248
 Inactivation by Night Soil and Sludge Treatment Processes 248
 Literature Cited 249
- 15. *Salmonella*, Enteric Fevers, and Salmonellosis** 251
 Description of Pathogens and Diseases 251
 Identification 251
 Occurrence 251
 Infectious agents 252
 Reservoirs 252
 Transmission 253
 Incubation period 254
 Period of
 communicability 255
 Resistance 255
 Epidemiology 256
 Control Measures 259
 Individual 259
 Carrier surveillance and control 259
 Environmental 260
 Occurrence and Survival in the Environment 261
 In surface water 261
 In groundwater 263
 In drinking water 266
 In seawater 266
 In feces and night soil 267
 In sewage 267
 In sludge and slurry 268
 In soil 269
 On pasture 270
 On crops 271
 In fish and shellfish 271
 In the air 272
 Inactivation by Sewage Treatment Processes 273
 By primary and secondary sedimentation 273
 By septic tanks 273
 By conventional treatment 273
 By oxidation ditch 274
 By waste stabilization ponds 275
 By tertiary treatment 275
 Lagooning 275
 Disinfection 275
 Land treatment 276
 Inactivation by Night Soil and Sludge Treatment Processes 276
 By pit latrines 276

- By storage 276
 - By anaerobic digestion 276
 - By aerobic digestion 277
 - By drying 277
 - By heating 277
 - By composting 278
 - By coagulation and vacuum filtration 278
 - By lime treatment 278
 - By irradiation 278
 - Literature Cited* 279
- 16. *Shigella* and Shigellosis** 287
- Description of Pathogen and Disease* 287
 - Identification 287
 - Occurrence 287
 - Infectious agent 287
 - Reservoir 288
 - Transmission 288
 - Incubation period 288
 - Period of
 - communicability 288
 - Resistance 288
 - Epidemiology 288
 - Control Measures* 290
 - Individual 290
 - Environmental 290
 - Occurrence and Survival in the Environment* 291
 - In water 292
 - In feces and sewage 292
 - On surfaces 292
 - In food 293
 - On crops 293
 - In the air 293
 - Inactivation by Sewage Treatment Processes* 293
 - Inactivation by Night Soil and Sludge Treatment Processes* 293
 - Literature Cited* 294
- 17. *Vibrio cholerae* and Cholera** 297
- Description of Pathogens and Disease* 297
 - Identification 297
 - Occurrence 298
 - Infectious agents 299
 - Reservoir 300
 - Transmission 300
 - Incubation period 300
 - Period of
 - communicability 300
 - Resistance 300
 - Epidemiology 301
 - Control Measures* 301
 - Individual 302
 - Environmental 302
 - Carrier surveillance and international regulations 303
 - Occurrence and Survival in the Environment* 303
 - In water 303
 - In feces and night soil 307
 - In sewage 309
 - Summary of survival in water and wastewater 309
 - Prolonged survival in water and wastewater 313
 - A possible aquatic reservoir for *V. cholerae* 315
 - In sweat 316
 - On surfaces 316
 - In soil 317
 - On food and crops 317
 - Inactivation by Sewage Treatment Processes* 317
 - Inactivation by Night Soil and Sludge Treatment Processes* 322
 - Literature Cited* 322
- 18. *Yersinia* and Yersiniosis** 327
- Description of Pathogen and Disease* 327
 - Identification 327
 - Occurrence 327
 - Infectious agent 327
 - Reservoirs 328
 - Transmission 328
 - Incubation period 328
 - Period of
 - communicability 328
 - Resistance 328
 - Epidemiology 328
 - Control Measures* 329
 - Occurrence and Survival in the Environment* 329
 - Inactivation by Sewage Treatment Processes* 330

<i>Inactivation by Night Soil and Sludge Treatment Processes</i>	330
<i>Literature Cited</i>	330

SECTION III. EXCRETED PROTOZOA

19. *Balantidium* and Balantidiasis 333

<i>Description of Pathogen and Disease</i>	333
Identification	333
Occurrence	333
Infectious agents	333
Reservoirs	334
Transmission	334
Prepatent and incubation periods	334
Period of communicability	334
Resistance	334
Epidemiology	335
<i>Control Measures</i>	335
Individual	335
Environmental	335
<i>Occurrence and Survival in the Environment</i>	335
<i>Inactivation by Sewage Treatment Processes</i>	336
<i>Inactivation by Night Soil and Sludge Treatment Processes</i>	336
<i>Literature Cited</i>	336

20. *Entamoeba histolytica* and Amebiasis 337

<i>Description of Pathogen and Disease</i>	337
Identification	337
Occurrence	337
Infectious agent	337
Reservoirs	338
Transmission	338
Prepatent and incubation periods	338
Period of communicability	338
Resistance	339
Epidemiology	339
<i>Control Measures</i>	340
Individual	340

Environmental	340
<i>Occurrence and Survival in the Environment</i>	342
In water and water supplies	342
In seawater	342
In feces and night soil	342
In sewage	342
On surfaces	342
In soil	342
On crops	342
Summary	343
<i>Inactivation by Sewage Treatment Processes</i>	343
By sedimentation	343
By trickling filter	344
By activated sludge	344
By oxidation ditch	344
By waste stabilization ponds	344
By aerated lagoons	344
By tertiary treatment	344
<i>Filtration</i>	344
<i>Disinfection</i>	344
<i>Land treatment</i>	344
<i>Inactivation by Night Soil and Sludge Treatment Processes</i>	344
<i>Literature Cited</i>	345

21. *Giardia* and Giardiasis 349

<i>Description of Pathogen and Disease</i>	349
Identification	349
Occurrence	349
Infectious agent	349
Reservoirs	350
Transmission	350
Prepatent and incubation periods	351
Period of communicability	351
Resistance	351
Epidemiology	351
<i>Control Measures</i>	352
Individual	352
Environmental	352
<i>Occurrence and Survival in the Environment</i>	352
In water and water supplies	353

In feces and night soil	353
In sewage	353
Summary	353
<i>Inactivation by Sewage Treatment Processes</i>	354
<i>Inactivation by Night Soil and Sludge Treatment Processes</i>	354
<i>Literature Cited</i>	354

SECTION IV. EXCRETED HELMINTHS

22. *Ancylostoma, Necator, and Ancylostomiasis* 359

<i>Description of Pathogen and Disease</i>	359
Identification	359
Occurrence	359
Infectious agents	361
Reservoir	361
Transmission	361
Prepatent and incubation periods	362
Period of communicability	362
Resistance	362
Epidemiology	362
<i>Control Measures</i>	364
Individual	364
Environmental	365
<i>Occurrence and Survival in the Environment</i>	366
In water	366
In feces and night soil	367
In sewage	367
In sludge	367
In soil	367
On crops	367
<i>Inactivation by Sewage Treatment Processes</i>	368
By septic tanks	368
By conventional treatment	368
By waste stabilization ponds	368
By tertiary treatment	369
<i>Inactivation by Night Soil and Sludge Treatment Processes</i>	369
By digestion	369
By ovicides and larvicides	369

By drying	370
By heating	370
By composting	370
<i>Literature Cited</i>	371

23. *Ascaris and Ascariasis* 375

<i>Description of Pathogen and Disease</i>	375
Identification	375
Occurrence	375
Infectious agent	375
Reservoir	376
Transmission	376
Prepatent and incubation periods	377
Period of communicability	377
Resistance	377
Epidemiology	377
<i>Control Measures</i>	380
Individual	380
Environmental	380
<i>Occurrence and Survival in the Environment</i>	384
In surface water	384
In groundwater	385
In drinking water	385
In seawater	385
In feces and night soil	385
In sewage	385
In sludge	385
In soil	386
On crops	386
<i>Inactivation by Sewage Treatment Processes</i>	387
By septic tanks	387
By conventional treatment	388
By waste stabilization ponds	388
By tertiary treatment	389
<i>Inactivation by Night Soil and Sludge Treatment Processes</i>	389
By pit latrines	389
By biogas plants	389
By digestion	390
By storage	390
By drying	391
By heating	391
By composting	392

By other processes	392
<i>Chemical ovicides</i>	392
Irradiation	392
<i>Literature Cited</i>	393

24. *Clonorchis* and *Clonorchiasis* 401

<i>Description of Pathogen and Disease</i>	401
Identification	401
Occurrence	401
Infectious agents	401
Reservoirs	401
Transmission	401
Prepatent and incubation periods	402
Period of communicability	402
Resistance	403
Epidemiology	403
<i>Control Measures</i>	404
<i>Occurrence and Survival in the Environment</i>	404
<i>Inactivation by Sewage Treatment Processes</i>	404
<i>Inactivation by Night Soil and Sludge Treatment Processes</i>	404
<i>Literature Cited</i>	404

25. *Diphyllobothrium* and *Diphyllobothriasis* 407

<i>Description of Pathogen and Disease</i>	407
Identification	407
Occurrence	407
Infectious agent	407
Reservoir	407
Transmission	407
Prepatent and incubation periods	409
Period of communicability	409
Resistance	409
Epidemiology	409
<i>Control Measures</i>	409
<i>Occurrence and Survival in the Environment</i>	409
<i>Inactivation by Sewage Treatment Processes</i>	410

<i>Inactivation by Night Soil and Sludge Treatment Processes</i>	410
<i>Literature Cited</i>	410

26. *Enterobius* and *Enterobiasis* 413

<i>Description of Pathogen and Disease</i>	413
Identification	413
Occurrence	413
Infectious agent	413
Reservoir	413
Transmission	413
Prepatent and incubation periods	413
Period of communicability	414
Resistance	414
Epidemiology	414
<i>Control Measures</i>	415
<i>Occurrence and Survival in the Environment</i>	415
<i>Inactivation by Sewage Treatment Processes</i>	415
<i>Inactivation by Night Soil and Sludge Treatment Processes</i>	416
<i>Literature Cited</i>	416

27. *Fasciola* and *Fascioliasis* 417

<i>Description of Pathogen and Disease</i>	417
Identification	417
Occurrence	417
Infectious agent	417
Reservoirs	417
Transmission	417
Prepatent and incubation periods	418
Epidemiology	418
<i>Control Measures</i>	418
<i>Occurrence and Survival in the Environment</i>	418
<i>Inactivation by Sewage Treatment Processes</i>	419
<i>Inactivation by Night Soil and Sludge Treatment Processes</i>	419
<i>Literature Cited</i>	419

- 28. Fasciolopsis and Fasciolopsiasis** 421
- Description of Pathogen and Disease* 421
 - Identification 421
 - Occurrence 421
 - Infectious agent 421
 - Reservoirs 421
 - Transmission 421
 - Prepatent and incubation periods 421
 - Period of communicability 422
 - Resistance 422
 - Epidemiology 422
 - Control Measures* 423
 - Occurrence and Survival in the Environment* 423
 - Inactivation by Sewage Treatment Processes* 424
 - Inactivation by Night Soil and Sludge Treatment Processes* 424
 - Literature Cited* 424
- 29. Hymenolepis and Hymenolepiasis** 425
- Description of Pathogen and Disease* 425
 - Identification 425
 - Occurrence 425
 - Infectious agent 425
 - Reservoirs 425
 - Transmission 425
 - Prepatent and incubation periods 427
 - Period of communicability 427
 - Resistance 427
 - Epidemiology 427
 - Control Measures* 427
 - Occurrence and Survival in the Environment* 427
 - Inactivation by Sewage Treatment Processes* 427
 - Inactivation by Night Soil and Sludge Treatment Processes* 428
 - Literature Cited* 428
- 30. Minor Intestinal Flukes and Infections They Cause** 431
- Description of Pathogens and Diseases* 431
 - Identification 431
 - Occurrence 431
 - Infectious agents 431
 - Reservoirs 431
 - Transmission 431
 - Prepatent and incubation periods 434
 - Period of communicability 434
 - Resistance 434
 - Epidemiology 434
 - Control Measures* 435
 - Occurrence and Survival in the Environment* 435
 - Inactivation by Sewage Treatment Processes* 435
 - Inactivation by Night Soil and Sludge Treatment Processes* 435
 - Literature Cited* 435
- 31. Paragonimus and Paragonimiasis** 437
- Description of Pathogen and Disease* 437
 - Identification 437
 - Occurrence 437
 - Infectious agent 437
 - Reservoir 437
 - Transmission 437
 - Prepatent and incubation periods 439
 - Period of communicability 439
 - Resistance 439
 - Epidemiology 439
 - Control Measures* 439
 - Occurrence and Survival in the Environment* 440
 - Inactivation by Sewage Treatment Processes* 440
 - Inactivation by Night Soil and Sludge Treatment Processes* 440
 - Literature Cited* 440

- 32. *Schistosoma* and Schistosomiasis 443**
Description of Pathogen and Disease 443
 Identification 443
 Occurrence 444
 Infectious agents 444
 Reservoirs 444
 Transmission 444
 Prepatent and incubation periods 447
 Period of communicability 447
 Resistance 447
 Epidemiology 447
Control Measures 449
 Individual 449
 Environmental 449
Occurrence and Survival in the Environment 451
 In water 451
 In feces and night soil 451
 In urine 451
 In sewage 451
Inactivation by Sewage Treatment Processes 452
Inactivation by Night Soil and Sludge Treatment Processes 452
Literature Cited 453
- 33. *Strongyloides* and Strongyloidiasis 457**
Description of Pathogen and Disease 457
 Identification 457
 Occurrence 457
 Infectious agent 457
 Reservoirs 457
 Transmission 457
 Prepatent and incubation periods 458
 Period of communicability 458
 Resistance 459
 Epidemiology 459
Control Measures 459
Occurrence and Survival in the Environment 460
Inactivation by Sewage Treatment Processes 460
Inactivation by Night Soil and Sludge Treatment Processes 460
Literature Cited 460
- 34. *Taenia*, Taeniasis, and Cysticercosis 463**
Description of Pathogen and Disease 463
 Identification 463
 Occurrence 463
 Infectious agent 463
 Reservoirs 465
 Transmission 465
 Prepatent and incubation periods 465
 Period of communicability 465
 Resistance 465
 Epidemiology 467
Control Measures 468
 Individual 468
 Environmental 468
Occurrence and Survival in the Environment 468
 In water 468
 In sewage 468
 In sludge 469
 On pasture 469
Inactivation by Sewage Treatment Processes 469
Inactivation by Night Soil and Sludge Treatment Processes 470
Literature Cited 470
- 35. *Trichuris* and Trichuriasis 473**
Description of Pathogen and Disease 473
 Identification 473
 Occurrence 473
 Infectious agent 473
 Reservoir 473
 Transmission 473
 Prepatent and incubation periods 474
 Period of communicability 474
 Resistance 474
 Epidemiology 474

<i>Control Measures</i>	475
Individual	475
Environmental	475
<i>Occurrence and Survival in the Environment</i>	476
In water	476
In feces and night soil	476
In sewage	476
In sludge	476
In soil	476
On crops	476
<i>Inactivation by Sewage Treatment Processes</i>	477
<i>Inactivation by Night Soil and Sludge Treatment Processes</i>	477
<i>Literature Cited</i>	478

SECTION V. INSECTS AND EXCRETA

36. <i>Culex pipiens</i>	
Mosquitoes and the Transmission of Bancroftian Filariasis	483
<i>The Biology of Culex pipiens Mosquitoes</i>	483
<i>Bancroftian Filariasis</i>	483
<i>Culex pipiens as a Vector and as a Nuisance</i>	484

<i>The Association of Culex pipiens with Polluted Water</i>	485
<i>Culex pipiens Breeding in Waste Stabilization Ponds</i>	487
<i>Methods for Culex pipiens Control</i>	488
Case studies in control	488
Control by modifying the physical environment	489
Control by insecticides and oils	490
<i>Conclusions</i>	492
<i>Literature Cited</i>	492

37. Flies, Cockroaches, and Excreta

<i>Flies Associated with Waste Disposal</i>	495
<i>Cockroaches</i>	496
<i>Flies, Cockroaches, and Health</i>	496
<i>Transmission of Excreted Pathogens</i>	497
<i>Methods of Fly and Cockroach Control</i>	498
Modifying the physical environment	498
Insecticides and other chemicals	499
<i>Literature Cited</i>	499

Tables and Figures

Tables

- 1-1. Fecal weights around the world 5
- 1-2. Composition of human feces and urine 6
- 1-3. Possible standard biochemical oxygen demand (BOD₅) content of excreta and night soil 7
- 1-4. BOD₅ contributions per capita in urban sewage 8
- 1-5. Viral pathogens excreted in feces 9
- 1-6. Bacterial microflora of human feces by national diet 11
- 1-7. Bacterial pathogens excreted in feces 12
- 1-8. Protozoal pathogens excreted in feces 13
- 1-9. Helminthic pathogens excreted in feces 14
- 1-10. Possible output of selected pathogens in the feces and sewage of a tropical community of 50,000 in a developing country 17
- 1-11. Allocation of water use in sewerless rural households in developing countries 18
- 1-12. Pollution loads of wastewater sampled from various plumbing fixtures in the USA 19
- 1-13. Bacterial content of sullage in the USA 19
- 2-1. Summary of selected literature on the effect on health of improved excreta disposal 26
- 2-2. Environmental classification of excreted infections 33
- 2-3. Basic epidemiological features of excreted pathogens by environmental category 34
- 2-4. Category I and II pathogens (from table 2-2) ranked by median infective dose (ID₅₀) 36
- 2-5. Category I and II pathogens (from table 2-2) ranked by persistence outside host 36
- 2-6. ID₅₀ and persistence of category I and II pathogens (from table 2-2) commonly and rarely transmitted in affluent European communities 36
- 3-1. Maximum prevalence of excreted pathogens (from table 2-2) by age in indigenous populations of endemic areas 46
- 3-2. Ranking of excreta disposal technologies by ease of operation and maintenance, water needs, and health benefits 51
- 4-1. Number of indicator bacteria commonly found in human feces 56
- 4-2. Survival times of excreted pathogens in feces, night soil, and sludge at 20–30°C 60
- 4-3. Survival times of excreted pathogens in fresh water and sewage at 20–30°C 60
- 4-4. Factors affecting survival time of enteric bacteria in soil 61
- 4-5. Survival times of excreted pathogens in soil at 20–30°C 61
- 4-6. Survival times of excreted pathogens on crops at 20–30°C 62
- 5-1. Probable pathogen content in final product of anaerobic composting toilets operating at ambient temperatures in warm climates 74
- 6-1. Theoretical settling velocities of protozoal cysts and helminth eggs 87
- 9-1. Human excreted viruses 134
- 12-1. Prevalence of excretion of *Campylobacter* and other enteric pathogens by individuals with and without diarrhea in twelve countries 194
- 13-1. Etiology of diarrhea reported to Matlab Hospital, Bangladesh, during 1977 202
- 13-2. Some reported concentrations of fecal bacteria in untreated domestic water sources in developing countries 208
- 13-3. Fecal bacteria removal rate constants in series of waste stabilization ponds 227
- 15-1. Variations in the nomenclature of some important types of *Salmonella* 252
- 15-2. Period and point prevalences of *Salmonella* and *Shigella* excretion by black school-children in the Transvaal, Republic of South Africa 264

- 15-3. *Salmonella* removal at the Woking trickling filter plant, UK 274
- 15-4. *Salmonella* removal at the Guildford activated sludge plant, UK 274
- 17-1. Survival of *Vibrio cholerae* in surface waters 304
- 17-2. Survival of *V. cholerae* in well water 306
- 17-3. Survival of *V. cholerae* in tap water 308
- 17-4. Survival of *V. cholerae* in mineral water 309
- 17-5. Survival of *V. cholerae* in seawater 310
- 17-6. Survival of *V. cholerae* in feces 311
- 17-7. Survival of *V. cholerae* in sewage 312
- 17-8. t_{90} values in hours for various types of *V. cholerae* in various waters and wastewaters 314
- 17-9. Survival of *V. cholerae* on surfaces 316
- 17-10. Survival of *V. cholerae* on food and crops 318
- 20-1. Some studies on the relationships between *Entamoeba histolytica* infection and environmental sanitation 341
- 22-1. Prevalence of hookworm infection in fifteen countries 363
- 22-2. Some studies on the effect of mass chemotherapy on hookworm infection 365
- 22-3. Some studies on environmental influences on hookworm infection 366
- 22-4. Reduction of helminth eggs by sewage treatment processes in India 369
- 22-5. Tolerance of hookworm eggs and larvae to high and low temperatures 371
- 23-1. Some studies on the reduction and subsequent rise of ascariasis prevalence following mass chemotherapy 381
- 23-2. Some studies on environmental influences on ascariasis 383
- 23-3. Some studies on *Ascaris* eggs in composting processes 392
- 23-4. Some literature on *Ascaris ovidices* 393
- 29-1. Duration of infectivity of *Hymenolepis nana* eggs stored under various conditions 428
- 34-1. Some studies on the survival of *Taenia* eggs in grass, silage, and soil 469
- 35-1. Some studies on environmental influences on trichuriasis 476
- 37-1. Insect fauna of "dry" latrines 497
- 2-2. Factors affecting the transmission of an infective dose 24
- 2-3. Involvement of other vertebrates in transmission of human excreted infections 32
- 2-4. Persistence outside the host of excreted pathogens (categories I–V from table 2-2) over time 37
- 2-5. Length and dispersion of transmission cycles of excreted infections (categories I–V from table 2-2) 38
- 5-1. Conventional unimproved pit latrine 68
- 5-2. Ventilated improved pit (VIP) latrine 69
- 5-3. Reed Odorless Earth Closet (ROEC) 70
- 5-4. "Multrum" continuous-composting toilet 71
- 5-5. Double-vault composting (DVC) toilets 72
- 5-6. Pathogen flow through a batch composting toilet (double-vault) 74
- 5-7. Bucket latrine and cartage 75
- 5-8. Alternative designs for vault toilets 76
- 5-9. Influence of time and temperature on selected pathogens in night soil and sludge 79
- 5-10. Pathogen flow through a well-managed thermophilic composting process 80
- 6-1. Septic tank designs 84
- 6-2. Conventional aquaprivy 85
- 6-3. Pathogen flow through a septic tank 86
- 6-4. Components of conventional sewage treatment 87
- 6-5. Pathogen flow through various continuous sludge treatment processes 89
- 6-6. Pathogen flow through various batch sludge treatment processes 90
- 6-7. Pathogen flow through a conventional sewage treatment plant featuring trickling filters 91
- 6-8. Pathogen flow through a conventional sewage treatment plant featuring activated sludge 91
- 6-9. Flow diagram for an aerated lagoon incorporating sludge digestion 92
- 6-10. Stages in development of a waste stabilization pond–aerated lagoon system 93
- 6-11. Flow diagram for an oxidation ditch 93
- 6-12. Pathogen flow through a waste stabilization pond system 97
- 7-1. Typical biogas digesters 108
- 9-1. Polio-, adeno- and reoviruses under electronmicroscopy 136

Figures

- 2-1. The links between excreta and infection 23

- 9-2. The influence of time and temperature on enteroviruses 163
- 10-1. Hepatitis A viruses under transmission electronmicroscopy 174
- 11-1. Agents of viral gastroenteritis 183
- 12-1. *Campylobacter* under scanning electronmicroscopy 195
- 13-1. *Escherichia coli* and *Streptococcus* under scanning electronmicroscopy 200
- 14-1. *Leptospira* under scanning electronmicroscopy 244
- 15-1. *Salmonella enteritidis* under scanning electronmicroscopy 252
- 15-2. The influence of time and temperature on salmonellae 277
- 16-1. The influence of time and temperature on *Shigella* 294
- 17-1. The global spread of cholera, 1961–75 298
- 17-2. *Vibrio cholerae* under scanning electronmicroscopy 299
- 17-3. The influence of time and temperature on *V. cholerae* 322
- 19-1. Drawing of a trophozoite of *Balantidium coli* 334
- 20-1. A trophozoite of *Entamoeba histolytica* under scanning electronmicroscopy 338
- 20-2. The influence of time and temperature on *Ent. histolytica* cysts 343
- 21-1. Trophozoites of *Giardia lamblia* under scanning electronmicroscopy 350
- 22-1. Known geographical distribution of *Ancylostoma duodenale* 360
- 22-2. Known geographical distribution of *Necator americanus* 360
- 22-3. The head (scolex) of an *Ancylostoma* under a light microscope 361
- 22-4. The influence of time and temperature on hookworm eggs and larvae 370
- 23-1. *Ascaris* in situ 376
- 23-2. The influence of time and temperature on *Ascaris* eggs 391
- 24-1. Known geographical distribution of *Clonorchis sinensis* 402
- 24-2. An adult of *Opisthorchis felineus* under a light microscope 403
- 25-1. Known geographical distribution of *Diphyllobothrium latum* 408
- 25-2. A length of *D. latum* expelled after treatment 408
- 26-1. Adult pinworms, *Enterobius vermicularis* 414
- 27-1. An adult *Fasciola hepatica* under a light microscope 418
- 28-1. Known geographical distribution of *Fasciolopsis buski* 422
- 28-2. An adult *Fasciolopsis buski* under a light microscope 423
- 29-1. Head (scolex) and neck of *Hymenolepis nana* under scanning electronmicroscopy 426
- 30-1. Known geographical distributions of *Heterophyes heterophyes* and *Metagonimus yokogawai* 432
- 30-2. Known geographical distribution of *Gastrodiscoides hominis* 432
- 30-3. Adult *Heterophyes heterophyes* (a) and *Metagonimus yokogawai* (b) under a light microscope 433
- 30-4. An adult *Gastrodiscoides hominis* under a light microscope 434
- 31-1. Known geographical distribution of *Paragonimus* 438
- 31-2. An adult *Paragonimus westermani* under a light microscope 438
- 32-1. Known geographical distribution of *Schistosoma haematobium* and *S. japonicum* 445
- 32-2. Known geographical distribution of *S. mansoni* 445
- 32-3. A male and female *S. mansoni* under scanning electronmicroscopy 446
- 32-4. The influence of time and temperature on *Schistosoma* eggs 453
- 33-1. An adult *Strongyloides stercoralis* under a light microscope 458
- 34-1. Known geographical distribution of *Taenia saginata* 464
- 34-2. Known geographical distribution of *T. solium* 464
- 34-3. *T. solium* and *T. saginata* 466
- 34-4. The influence of time and temperature on *Taenia* eggs 470
- 35-1. A male (left) and female (right) *Trichuris trichiura* under a light microscope 474
- 36-1. Known geographical distribution of *Culex pipiens* mosquitoes and Bancroftian filariasis 484
- 36-2. Larval and adult *Culex pipiens* mosquitoes 485
- 36-3. Insect traps for pit latrines 491
- 37-1. The common housefly, *Musca domestica* 496

