

## 6. REFERENCES

1. APHA-AWWA (1995). *Standard methods for the examination of water and wastewater*. (19<sup>th</sup> ed.). APHA/AWWA/WPCF, Wasington, DC.
2. Ayres, R. M., and Mara D. D. (1995). *Wastewater reuse in agriculture. Parasitological and Bacteriological methods for wastewater analysis: An illustrated laboratory manual*. World Health Organization, Geneva.
3. Barwise, S. (1901). *The Bacterial Purification of sewage*, Crosby Lockwood and Son, London.
4. Batchelor, A. and Loots, P. (1997). A critical evaluation of a pilot scale subsurface flow wetland: 10 years after commissioning. *Wat. Sci. Tech.*, Vol. 35, No. 5, pp. 337-343.
5. Boller, M., Schwager, A., Eugster, J. and Mottier, V. (1993) Dynamic behaviour of intermittent buried filters. *Wat. Sci. Tech.*, Vol. 28, No. 10, pp. 99-107.
6. Brissaud, F. and LeSavre, J. (1993). Infiltration percolation in France: 10 years experience. *Wat. Sci. Tech.*, Vol. 28, No. 10, pp. 73-81.
7. Brissaud, F., Salgot, M., Bancole', A., Campos, C. and Folch, M. (1999). Residence time distribution and disinfection of secondary effluents by infiltration percolation. *Wat. Sci. Tech.* Vol. 40, No. 4-5, pp. 215-222.
8. British Standard Code of Practice CP 302: 1972 – Small sewage treatment works. British Standards Institution, London, 1972
9. Carter L. W. and Knox R. C. (1985). *Septic Tank System Effects on Groundwater Quality*, Lewis Publishers Inc., Chelsea MI.

10. Central Bank of Sri Lanka (1996). "Annual Report – 1995", Ministry of Finance and Planning, Government of Sri Lanka.
11. Chernicharo C. A. L. and Machado R. M. G. (1998). Feasibility of the UASB/AF system for domestic sewage treatment in developing countries. *Wat. Sci. Tech.*, Vol.38, No. 8-9, pp. 325-332.
12. Choung Y.K. and Jeong S.J. (2000). Phosphorus removal in domestic wastewater using anaerobic fixed beds packed with iron contactors. *Wat. Sci. Tech.*, Vol. 41, No. 1, pp. 241-244.
13. Cooper P. (1999). A review of the design and performance of vertical-flow and hybrid reed bed treatment systems. *Wat. Sci. Tech.* Vol. 40, No. 3, pp. 1-9.
14. Cooper P., Griffin P., Humphries S. and Pound A. (1999). Design of a hybrid reed bed system to achieve complete nitrification and denitrification of domestic sewage. *Wat. Sci. Tech.*, Vol. 40, No. 3, pp. 283-289.
15. Corea E.J.H., Gamage I. R. and Wickramanayake P.N. (1998). Anaerobic filters for on-site sewage treatment. In *Water and Sanitation for all*. Proc. 23<sup>rd</sup> WEDC Conference, Islamabad, Pakistan. Loughborough University Press, UK.
16. Corea E. J. H. and Parameshwaran M. (1994). Use of Anaerobic Filters in low-cost sewage treatment. *Engineering research and development*, University of Peradeniya, Sri Lanka.
17. Cotteral J.A. and Norris D.P. (1969) Septic Tank Systems. *ASCE J. Sanitary Engineering Div.* Vol. 95, No. SA4, pp 715-746.
18. De Silva M. B. G. and Fernando T.K. (1997). Climate. *Atlas of Sri Lanka*, Arjuna Consulting Co. Ltd., Sri Lanka

19. De Silva S. (1997). Population. *Atlas of Sri Lanka*, Arjuna Consulting Co. Ltd., Sri Lanka.
20. Department of Census and Statistics (1997). *Statistical Pocketbook of Sri Lanka –1997*. Ministry of Finance and Planning, Government of Sri Lanka.
21. Engineering-Science, Inc. (1993). Greater Colombo Wastewater and Sanitation Master Plan – Executive Summary and Preliminary Engineering Report. UNDP-SRL / 90/006.
22. Fazio, A., Warot, G. and Vander Borgh, P. (1993). The advantages of a compact filter for individual or semi-collective wastewater treatment. *Wat Sci. Tech.* Vol. 27, No. 1, pp. 41-50.
23. Fernando M. S. (1994). Sanitary Aspects of Canal Project. In *Affordable Water Supply and Sanitation*, Proc. 20<sup>th</sup> WEDC Conf., Colombo, Sri Lanka.
24. Geller, G. (1997). Horizontal subsurface flow systems in the German speaking countries: Summary of long-term scientific and practical experiences; recommendations. *Wat. Sci. Tech.*, Vol. 35, No. 5, pp. 157-166.
25. Gersberg, R. M., Gearheart, R. A. and Ives, M. (1989). Pathogen removal in constructed wetlands. In *Constructed wetlands for wastewater treatment: Municipal, Industrial and agricultural*. D. Hammer (Ed.). Lewis Publishers Inc. Chelsea MI, pp. 431-445.
26. Gray, N. F. (1989). *Biology of wastewater treatment*. Oxford University Press, Oxford.

27. Green M. B., Griffin P., Seabridge, J.K. and Dhobie, D. (1997). Removal of bacteria in subsurface flow wetlands. *Wat. Sci. Tech.* Vol. 35, No. 5, pp. 109-116.
28. Guessab, M., Bize, J., Schwarzbrod, J., Nivault, N. and Schwarzbrod, L. (1993). Wastewater treatment by infiltration percolation. *Wat. Sci. Tech.* Vol. 27, No. 9, pp.91-95.
29. Guilloteau, J. A., Lesavre, J., Lienard, A. and Genty, P. (1993). *Wat. Sci. Tech.* Vol. 28, No. 10, pp. 109-116.
30. Hershaf A. (1976). The plight and promise of on-site wastewater treatment. *Compost Science*, Vol. 17, No. 5, pp.6-13.
31. House C. H., Bergmann B. A., Stomp A. M., and Frederick D. J. (1999). Combining constructed wetlands and aquatic and soil filters for reclamation and reuse of water. *Ecological Engineering*, Vol. 12, pp. 27-38.
32. Indian Standards Institution (1985). Indian Standard Code of Practice for Installation of Septic Tanks – Part I: Design Criteria and Construction. IS: 2470 (Part I) – 1985.
33. Kadlec, R. H. and Knight, R. L. (1996). *Treatment wetlands*. Lewis Publishers Inc. Chelsea MI.
34. Kalbermatten, J. M., DeAnne, S. J., Gunnerson, C. G. and Mara, D. D. (1982). *Appropriate sanitation alternatives: A planning and design manual*. Johns Hopkins University Press, Baltimore.
35. Kantawanichkul S., Pilaila S., Tanapiyawanich, W., Tikampornpittaya W. and Kamkrua S. (1999). Wastewater treatment by tropical plants in vertical-flow constructed wetlands. *Wat. Sci. Tech.* Vol. 40, No.3, pp. 173-178.

36. Kobayashi H. A., Stenstrom M. K., and Mah R. A. (1983). Treatment of Low Strength domestic Wastewater using the Anaerobic filter. *Wat. Sci. Tech.*, Vol. 17, No. 8, pp. 903-909.
37. Laak, R. (1986). *Wastewater Engineering for unsewered areas*. 2<sup>nd</sup> ed. Lancaster Technomic.
38. Laber J., Haberl R. and Shrestha R. (1999). Two-stage constructed wetland for treating hospital wastewater in Nepal. *Wat. Sci. Tech.* Vol. 40, No. 3, pp. 317-324.
39. Latvala, A. (1993). Multi-layer intermittent filter. *Wat. Sci. Tech.*, Vol. 28, No. 10, pp. 125-132.
40. Loffler, H. (1992). Das Pflanzenbeet-Klarverfahren Phytofilt – Theoretische Grundlagen – praktische anwendung. In: Norddeutsche Naturschutzakademie (Hrsg.) *Naturorientierte Awasserbehandlung. NNA-Berichte Nr. 5*. Schneverdingen.
41. Mander, U., Kuusemets, V., Oovel, M., Ihme, R., Sevola, P., and Pieterse, A. (2000). Experimentally constructed wetlands for wastewater treatment in Estonia. *J. Env. Sci. Health. Part A*, Vol. 35, No. 8, pp. 1389-1401.
42. Mara, D. D. (1996). *Low-cost Urban Sanitation*. John Wiley and Sons, England.
43. Mara, D. D. (1997). *Design Manual for Waste Stabilization Ponds in India*, Lagoon Technology International Ltd., England.
44. Metcalf and Eddy Inc. (1991). *Wastewater Engineering: Treatment, Disposal and Reuse*. McGraw-Hill Inc.

45. National Standards Authority of Ireland (1991). Septic Tank Systems: Recommendations for domestic effluent treatment and disposal from a single dwelling house. NSAI SR6: 1991.
46. Netter, R. (1993). Planted soil filter – a wastewater treatment system for rural areas. *Wat. Sci. Tech.*, Vol. 28, No. 10, pp. 133-140.
47. Netter, R., Stubner, E., Wildere, P. A. and Sekoulov, I., (1993). Treatment of septic tank effluent in a subsurface biofilter, *Wat. Sci. Tech.*, Vol. 28, No. 10, pp. 117-124.
48. Nielsen, J., Lynggard-Jensen, A. and Hasling, A. (1993). Purification efficiency of Danish biological sand filter systems. *Wat. Sci. Tech.*, Vol. 28, No. 10, pp. 89-97.
49. Ottova' V., Balcarova, J. and Vymazal, J. (1997). Microbial characteristics of constructed wetlands. *Wat. Sci. Tech.* Vol.35, No. 5, pp. 71-78.
50. Panswad T., and Komolmothee L. (1997). Effects of hydraulic shock loads on small on-site sewage treatment unit. *Wat. Sci. Tech.*, Vol. 35, No. 8, pp. 145-152.
51. Perera M. P. (1997). Surface water. *Atlas of Sri Lanka*, Arjuna Consulting Co. Ltd., Sri Lanka.
52. Perfler, R. and Haber, R. (1993). Actual experiences with the use of reed bed systems for wastewater treatment in single households. *Wat. Sci. Tech.*, Vol. 28, No. 10, pp. 141-148.
53. Philip H., Maunoir S., Rambaud A. and Philippi L. S. (1993). Septic Tank Sludges: Accumulation rate and biochemical characteristics. *Wat. Sci. Tech.* Vol 28, No. 10, pp. 57-64

54. Philippi, L. S., da Costa, R. H. R. and Sezerino, P. H. (1999). Domestic effluent treatment through integrated system of septic tank and root zone. *Wat. Sci. Tech.* Vol. 40, No. 3, pp. 125-131.
55. Pillay M. S. (1994). Privatisation of sewage services in Malaysia. In: *Affordable Water Supply and Sanitation*, Proc. 20<sup>th</sup> WEDC Conf., Colombo, Sri Lanka.
56. Platzer C. and Mauch K. (1997). Soil clogging in vertical flow reed beds – mechanisms, parameters, consequences and .... Solutions? *Wat. Sci. Tech.* Vol. 35, No. 5, pp. 175-181.
57. Platzer, C. and Netter, R. (1992). Factors affecting nitrogen removal in horizontal flow reed beds. *Wat. Sci. Tech.*, Vol. 29, No. 4, pp.319-324.
58. Reed S. C., Middlebrooks E. J. and Crites R. W. (1988). *Natural Systems for Waste Management and Treatment*. McGraw-Hill Inc.
59. Salgot, M., Brissaud, F. and Campos, C. (1996). Disinfection of secondary effluents by infiltration-percolation. *Wat. Sci. Tech.*, Vol. 33, No. 10-11, pp. 271-276.
60. Schonerecklee M, Koch F., Perfler R., Haberl R. and Laber J. (1997). Tertiary treatment in a vertical flow reed bed system –a full scale pilot plant for 200 – 600 p.e. *Wat. Sci. Tech.* Vol. 35, No. 5, pp. 223-230.
61. Somasekaram T. (1997). Sri Lanka and the World. In *Atlas of Sri Lanka*, Arjuna Consulting Co. Ltd., Sri Lanka.
62. Sri Lanka Standards Institution (1984). Tolerance limits for industrial effluents discharged into inland surface waters, SLS 652: 1984.

63. Sri Lanka Standards Institution (1985). Tolerance limits for industrial and domestic effluents discharged into marine coastal areas, SLS 721: 1985.
64. Sri Lanka Standards Institution (1986). Sri Lanka Standard Code of Practice for Design and Construction of Septic Tanks, SLS 745: 1986.
65. Sri Lanka Standards Institution (1987). Tolerance limits for industrial effluents discharged on land for irrigation purposes, SLS 776: 1986.
66. Srinivasan N., Weaver W. R., Lesikar B. J. and Persyn R.A. (2000) Improvement of domestic wastewater quality by subsurface constructed wetlands. *Bioresource Technology*, Vol. 75, pp. 19-25.
67. Stott, R., Jenkins, T., Shabana, M. and May, E., (1997). A survey of the microbial quality of wastewaters in Ismailia, Egypt and the implications for wastewater reuse. *Wat. Sci Tech.*, Vol. 35, No. 11-12, pp. 211-217.
68. Stott R., Jenkins, T., Bahgat, M., and Shalaby, I. (1999) Capacity of constructed wetlands to remove parasite eggs from wastewaters in Egypt. *Wat. Sci. Tech.* Vol 40, No. 3, pp. 117-123.
69. Sun G., Gray K. R., Biddlestone A. J. and Cooper D. J. (1999) Treatment of agricultural wastewater in a combined tidal flow-downflow reed bed system. *Wat. Sci.Tech.* Vol. 40, No. 3, pp. 139-146.
70. Survey department (1988). *National Atlas of Sri Lanka*, Colombo
71. Tressie Leitan G. R. (1997). Local Government. In *Atlas of Sri Lanka*. Arjuna Consulting Co. Ltd., Sri Lanka.
72. U.S. Environmental Protection Agency (1980). *Design Manual –Onsite Wastewater Treatment and Disposal Systems*. EPA 625/1-80-012, Cincinnati, Ohio.



73. Vymazal, J., Brix, H., Cooper, P. F., Green, M.B. and Haberl . (eds) (1998). *Constructed wetlands for wastewater treatment in Europe*. Backhuys Publishers, Leiden.
74. Wanasinghe Y. A. D. S. (1997). Settlements. In *Atlas of Sri Lanka*. Arjuna Consulting Co. Ltd., Sri Lanka.
75. Wanasinghe Y. A. D. S. (1997). Housing. In *Atlas of Sri Lanka*. Arjuna Consulting Co. Ltd., Sri Lanka.
76. Watanabe T., Kuniyashi K. and Ohmori H. (1993). Anaerobic and Aerobic submerged Bio-filter system for small scale on-site domestic sewage treatment. *Wat. Sci. Tech.*, Vol. 27, No.1, pp. 51-57.
77. Wickramanayaka P.N. (1999). *Western River Basins Sector Project – Final report* Danish Hydraulic Institute.
78. Williams, J., Bahgat, M., May, E., Ford, M. and Butler, J. (1995). Mineralisation and pathogen removal in gravel bed hydroponic constructed wetlands for wastewater treatment. *Wat. Sci. Tech.*, Vol. 32, No. 3, pp. 49-58.
79. Young J. C. (1991). Factors affecting the design and performance of upflow anaerobic filters. *Wat. Sci. Tech.*, Vol. 24, No. 8, pp. 133-155.